



This is a summary of new tests or tests that have changed since May 2010.

Please use this information to update your system or records.

These changes are important to ensure standardization of our respective specifications.

Ordering Code	Test Name	Specimen Requirements	New Test or New Unit Code	Deleted Test
86611	Amyloidosis Test	◆		
96195	Bacterial Antigen Detection Panel (Replaced by <i>Bacterial Antigen Detection Panel (84685)</i> )			◆
84685	Bacterial Antigen Detection Panel (Replaces <i>Bacterial Antigen Detection Panel (96195)</i> )		◆	
80772	<i>Bordetella Pertussis</i> PCR (Replaced by <i>Bordetella Perrussis</i> PCR (58466))			◆
58466	<i>Bordetella Pertussis</i> PCR (Replaces <i>Bordetella Pertussis</i> PCR (80772))		◆	
80490	Chromogranin-A	◆		
67460	Fecal Lactoferrin	◆		
85545	Gabapentin (Replaced by <i>Gabapentin 36322</i> )			◆
36322	Gabapentin (Replaces <i>Gabapentin 85545</i> )		◆	
96025	Lamotrigine (Replaced by <i>Lamotrigine 36324</i> )			◆
36324	Lamotrigine (Replaces <i>Lamotrigine 96025</i> )		◆	
90895	Levetiracetam (Keppra) (Replaced by <i>Levetiracetam (Keppra) (36321)</i> )			◆
36321	Levetiracetam (Keppra) (Replaces <i>Levetiracetam (Keppra) (90895)</i> )		◆	
88850	Meningoencephalomyelitis Panel, CFS	◆		
36325	Oxcarbazepine Metabolite (Replaces <i>Trileptal (90875)</i> )		◆	
25410	Plavix Monitoring, Platelet P2Y12	◆		
58375	Respiratory Virus Panel	◆		
60687	Synovial Fluid, Culture and Gram Stain (Refer to <i>Fluid In a Bottle, Culture and Gram Stain (60682)</i> )			◆
91830	Topiramate (Topamax) (Replaced by <i>Topiramate (Topamax) (36326)</i> )			◆
36326	Topiramate (Topamax) (Replaces <i>Topiramate (Topamax) (91830)</i> )		◆	
90875	Trileptal (Replaced by <i>Oxcarbazepine Metabolite (36325)</i> )			◆
60108	Yeast Only, Culture	◆		
93460	Zonisamide (Replaced by <i>Zonisamide (36323)</i> )			◆
36323	Zonisamide (Replaces <i>Zonisamide (93460)</i> )		◆	



PeaceHealth  
Laboratories

**User Guide Update  
June/July 2010**

For questions regarding this Update or your User Guide, contact Elizabeth Jones at 541.984.8262.